



何休王

by  **THERMORY®**
Excellence in Wood

ANCIENT TRADITION, MODERN PERFORMANCE.

Ignite By Thermory Is Setting The Cladding World On Fire.

Hundreds of years ago, Japanese woodworkers discovered that they could prolong the life of wood by charring the exposed surface. This process, called shou sugi ban, created enviable, stunning results that are still highly in demand today.

Traditional shou sugi ban is beautiful, but using it can be problematic. Most shou sugi ban leaves only the charred surface resistant to rot. Ignite provides the look of shou sugi ban, with durability all the way to the core. And unlike charred wood, Ignite has no messy residue.

Ignite by Thermory offers the shockingly realistic look of charred wood, without the flames.



Shou Sugi Ban |`shō sūgē bān|

A board that has been modified by yakisugi, a Japanese method of preserving wood by burning it.

Ignite Brushed Cladding



IGNITE by THERMORY mimics the traditional look of shou sugi ban with the added benefits of thermal modification.

- ▶ Stained, brushed and embossed to recreate the texture of charred wood without the mess and residue
- ▶ Thermally modified spruce for 25+ years of rot resistance
- ▶ High level of dimensional stability
- ▶ Consistent appearance from batch to batch
- ▶ Highly controlled process ensures reliable results every time



ROT RESISTANCE
25+ years of rot resistance



STABILITY
Reduced absorbency



TERMITE
No bugs allowed



SUSTAINABLE
Responsibly harvested
and chemical-free



THERMALLY MODIFIED
Naturally enhanced using
only heat & steam

GET THE LOOK. DITCH THE TORCH.

Ignite by Thermory creates its signature dragon scale pattern by embossing, brushing and tinting thermally modified spruce. Unlike modern shou sugi ban, which is often created by hand with a torch, Ignite is created with a deceptively flame-free process. It is also available with only the brushed texture.



Ignite Brushed Cladding



1 X 6 CLADDING – GROOVED C2o (JEM)

APPLICATION: **CLADDING**

USE: **EXTERIOR, INTERIOR**

SPECIES: **SPRUCE**

THICKNESS: **.79**


WIDTH: **5.5**

COVERAGE: **5.2**

INSTALL METHOD: **60MM FG SCREW**

TEXTURE: **EMBOSSSED DRAGON SCALE**

FINISH: **STAINED**



1 X 6 CLADDING – GROOVED C2o (JEM)

APPLICATION: **CLADDING**

USE: **EXTERIOR, INTERIOR**

SPECIES: **SPRUCE**

THICKNESS: **.79**

WIDTH: **5.5**

COVERAGE: **5.2**

INSTALL METHOD: **60MM FG SCREW**

TEXTURE: **BRUSHED**

FINISH: **STAINED**





Enhancing environments through functional design.

REAL WOOD PRODUCTS WITH BEAUTY AND
STABILITY TO THE CORE.

Thermory is the union of science and design. Decking, cladding and porch flooring with unequalled longevity and lasting natural beauty. When you don't want to settle, you want Thermory.



Ignite Dragon Scale Cladding

HAVE QUESTIONS? Give us a call.



ThermoryUSA.com

BUFFALO

support@thermoryusa.com

P: 585.250.4074 • F: 847.256.0509
56 Harvester Avenue, Suite 1-201
Batavia, NY 14020

CHICAGO

support@thermoryusa.com

1213 Wilmette Avenue, Unit #208
Wilmette, IL 60091

DENVER

support@thermoryusa.com

P: 720.759.7268 • F: 847.256.0509
537 W. Highlands Ranch Pkwy, Unit #114
Highlands Ranch, CO 80129