EXOTIC WOOD









HARDWOOD DECKING SOLUTIONS HANDBOOK

RUSSIN

www.russin.com • 800.724.0010



Thermory is the union of science and design, decking and porch flooring with unequaled longevity and lasting natural beauty. Thermory decking boards were designed, modified and milled with the perfect outdoor experience in mind. Each board is naturally beautiful, expertly modified and highly functional - the perfect mix of art and science.



SMOOTH-KISSED MILLING

Touchable smoothness for a splinter-free life.

JEM JOINTS

Free yourself from joist requirements.

EXCEPTIONALLY LOW MAINTENANCE

Oil it, or not. The choice is yours.

EASY INSTALLATION

Our innovation saves you a whole lot of time.

IN TUNE WITH BIOPHILIC DESIGN

Sustainably harvested and always natural.

SPECIFICATIONS

MATERIAL Benchmark White Ash

APPLICATION Decking **TEXTURE** Smooth

PRODUCT AVAILABILITY

1×4 Grooved (JEM)

1×4 No Groove (JEM)

1×6 Standard Grooved (JEM)

1×6 Standard No Groove (JEM)

1×6 Max Grooved (JEM)

1×6 Max No Groove (JEM)

5/4×4 Grooved (JEM)

5/4×4 No Groove (JEM)

5/4×5 PACS Grooved (JEM)

5/4×5 No Groove (JEM)

5/4×6 Standard Grooved (JEM)

5/4×6 Standard No Groove (JEM)

5/4×6 Max Grooved (JEM)

5/4×6 Max No Groove(JEM)

ASK ABOUT
HAVING YOUR DECK
FACTORY OILED!





Black Label™ is carefully chosen with unmatched attention to quality, eliminating reverse grain and other undesirable defects or characteristics. When you choose Black Label™, you're choosing a deck material that does the work for you - while being the most beautiful, exotic wood on the market.



ADD A BEAUTIFUL BLACK LABEL™ RAILING!

Ask Your Russin Product Expert for More Information!

Complement your stunning Black Label™ deck with a sturdy matching railing - the same brilliant product in several rail sizes.

- 2x2
- 2x4
- 4x4

SPECIFICATIONS

MATERIAL Ipe
APPLICATION Decking

LENGTHS 8' – 20' Evens Only

PRODUCT AVAILABILITY

1×4 Black Label™ Decking 1×4 Grooved Black Label™ Decking

1×6 Black Label™ Decking

1×6 Grooved Black Label™ Decking

5/4×4 Black Label™ Decking

5/4×4 Grooved Black Label™ Decking

5/4×6 Black Label™ Decking 5/4×6 Grooved Black Label™ Decking

PROFILE

S4S Eased Edge Grooved 2 Edges S4S Eased Edge Grooved 2 Edges


S4S Eased Edge Grooved 2 Edges

S4S Eased Edge Grooved 2 Edges



ASK ABOUT HAVING YOUR DECK FACTORY OILED!





Create your own oasis with Kirana. Made from pristine Indonesian Red Balau with long tallies, we carefully source Kirana for quality and consistency. Spectacular reddish brown color, a beautiful grain, and durability that lasts, Kirana is a great choice for a budget-conscious consumer who is unwilling to compromise.



LOOKING FOR ACCESSORIES TO COMPLETE YOUR PROJECT?

The Kirana line blends beautifully with Island Decking accessories, enabling you to complete any outdoor project in style.

- Porch Flooring
- Soffits
- Paneling
- Accent Boards

SPECIFICATIONS

MATERIAL Red Balau APPLICATION Decking

LENGTHS 8' – 20' Evens Only

PRODUCT AVAILABILITY

1×4 Kirana DeckingRadius-Edge Decking5/4×4 Kirana DeckingRadius-Edge Decking5/4×6 Kirana DeckingRadius-Edge Decking5/4×4 Kirana DeckingTongue and Groove

PROFILE

ASK ABOUT HAVING YOUR DECK FACTORY OILED!



Island Decking combines a luxury feel with a reasonable price, making it an ideal material choice for those who want a beautiful high-end deck but want to keep their pretty pennies. It's composed of 100% certified Malaysian hardwood and harvested from sustainably-managed forests. Island Decking has the same natural properties of mahogany, including a natural color palette ranging from browns to pinks and greys. It's also prized for its legendary tight-grained composition, providing desirable durability that lasts.



COMPLEMENTARY PRODUCTS TO FINISH THE JOB

Ask Your Russin Product Expert for More Information! Get the look of Island Decking throughout your space, or enhance any project, with these additional Island Decking products:

- Accent Boards
- Outdoor Dimensional Lumber
- Railing Components
- Interior & Exterior Paneling
- Porch Flooring

SPECIFICATIONS

MATERIAL Nemasu APPLICATION Decking

LENGTHS 6' – 20' Evens Lengths Only


PRODUCT AVAILABILITY	PROFILE
1×4 Island Decking	Radius-Edge Decking
5/4×4 Island Decking	Radius-Edge Decking
5/4×6 Island Decking	Radius-Edge Decking

ASK ABOUT HAVING YOUR DECK FACTORY OILED!



RUSSIN CAN PROVIDE A COMPLETE PACKAGE INCLUSIVE OF ALUMINUM, GLASS OR CABLE RAIL SOLUTIONS.

When you need a railing system to add both security and style to your deck, Russin can help. All of our hardwood decking lines offer accessories to create the rail of your dreams, or we can offset your hardwood deck with a railing in a complementary style. Aluminum and cable rail options are growing in popularity and the Deckorators ALX lines look great with all of our hardwood decking products. Want a clear view with clean sight lines? Invisirail systems provide a beautiful glass rail design with sleek lines and nothing to obscure your view. We can provide all necessary accessories including lighting systems and postcover options — we can even help you mix and match systems to create a custom look that meets your vision.







INSTALLATION TIPS

Hardwood decking will not shrink appreciably in length after installation. It will, however, expand slightly in width, once exposed to the elements. We recommend a 1/4" space between deck boards side to side on $5/4 \times 6$ and 3/16" on $5/4 \times 4$. Butt boards tight end to end. If you are installing unfinished, the product will turn to a silvery gray color with time. We do recommend that you seal your decking to protect it against moisture damage.




We recommend that all 6 sides of the deck board are coated and make sure all cut ends are sealed to prevent against end checking. Decks should be a minimum of 18" off the ground and air below the deck should flow freely! Stainless steel screws recommended. Use one of our hidden clip systems, or use a minimum of three fasteners across the face of 5/4 x 6 and two across the face of 5/4 x 4. 5/4 x 4 & 6 can be used on either 16" or 24" on center joist spacing. If applying diagonally we suggest a minimum of 16" on center spacing. More detailed installation instructions are available upon request.

ASK ABOUT HAVING YOUR DECK FACTORY OILED!



DECIDE ON THE BEST WITH RUSSIN!

When you don't want to settle for second-best on your next project, let Russin be your guide. Our product experts can help you find the perfect product for your needs.



RUSSIN

www.russin.com • 800.724.0010