

THERMALLY MODIFIED WOOD COLLECTION

Interior & Exterior Cladding



NATURALLY INSPIRED WOOD CLADDING



Thermally Modified Collection is beautifully finished wood cladding that's designed to be seen. Not only does it have great curb appeal, it's more durable than natural exterior wood cladding because it is rot resistant. The innovative thermal modification process stabilizes the lumber it's made from, making it less vulnerable to cupping, shrinking and seasonal expansion and contraction cycles. The tongue and groove profiled planks can be installed on both interior and exterior walls and ceilings with recommended stainless steel fasteners. What's more, this siding collection is available in natural or in a variety of on-trend colors, all which feature a one-of-a-kind brushed finish.

NATURALLY MADE

Thermally modified wood is an all-natural process that incorporates both heat and steam to alter the wood fiber at a cellular level. Our wood is manufactured by heating the wood to 320° F while protecting it with steam. The steam also affects the natural chemical changes taking place. As a result of the heat and steam treatment, thermally modified wood is created which produces a very stable board without the use of chemicals. The wood is richer in color, dimensionally stable, and its thermal insulation properties are improved.

PREFINISHED

Thermally Modified Collection prefinished (painted) cladding greatly reduces the variables weather may have on the finish and eliminates the varying moisture levels that adversely affect unfinished siding products stored outdoors before being finished. By keeping products indoors and inspecting them prior to finish, we can ensure the most consistent and highest quality finish available.











THERMALLY MODIFIED WOOD COLLECTION

Interior & Exterior Cladding

KEY FEATURES

- Sourced and manufactured in North America
- All-natural preservation process
- 20-year limited warranty (rot/decay)
- Very stable with minimal cupping or warping
- Natural wood finish or colorfully prepainted
- Common patterns that are easy to install
- End-matched profile for faster install and less waste



T&G nickel gap reveal end-matched



WP4/T&G V-groove joint and end-matched (special order)





Widths 1x6, 1x8 | Thickness 11/16 in | Lengths 10, 12, 14, 16 ft. 10-16 ft. lengths come in random length tallies. Matching trim and fascia are also available.



Tag us in your UFP-Edge projects @ufpEDGE



ufpEDGE.com



View Thermally Modified Wood Collection online. Scan QR code with your smartphone to view more detailed information on our website.

©2023 UFP Retail Solutions, LLC All rights reserved. UFP-Edge is a registered trademark of UFP Industries, Inc. Distributed by affiliates of UFP Industries, Inc.