

Safety Data Sheet

according to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier:** For professional use only
- **Trade name:** Touch Up Paint
- **1.2 Relevant identified uses of the substance or mixture and uses advised against:** Surface Coating
- **Application of the substance / the mixture:** Surface Coating
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
The Millboard Company Ltd
UK Head Office
Castle Court
Bodmin Road
Coventry CV2 5DB
T 44 (0)24 7643 9943
E enquiries@millboard.co.uk
- **Further information obtainable from:** enquiries@millboard.co.uk
- **1.4 Emergency telephone number:** +44 (0)24 7643 9943 (Business hours)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008 Void**
- **Hazard pictograms Void**
- **Signal word Void**
- **Hazard statements Void**
- **Additional information:**
Contains 1,2-benzisothiazol-3(2H)-one, Mixture, containing 5-chloro-2-methyl-4-isothiazolin-3-one [EC No. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC No. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **Dangerous components:**

CAS: 57-55-6 EINECS: 200-338-0	propane-1,2-diol substance with a Community workplace exposure limit	10-25%
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy) ethanol < 2.5% ⚠ Eye Irrit. 2, H319	< 2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Do not induce vomiting; call for medical help immediately and show safety datasheet or label.
- **4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture:** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Put on breathing apparatus

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
 - Dilute with plenty of water.
 - Do not allow to enter sewers/surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - No special measures required.
 - Keep receptacles tightly sealed.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Keep receptacle tightly sealed and in a well-ventilated place.
 - Keep away from heat.
- **7.3 Specific end use(s):** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters.**

- **Ingredients with limit values that require monitoring at the workplace:**

57-55-6 propane-1,2-diol

WEL	Long-term value: 474*10** mg/m ³ , 150* ppm *total vapour and particulates **particulates
-----	---

112-34-5 2-(2-butoxyethoxy)ethanol

WEL	Short-term value: 101.2 mg/m ³ , 15 ppm Long-term value: 67.5 mg/m ³ , 10 ppm
-----	--

• DNELs

57-55-6 propane-1,2-diol

Oral	DNEL	85 mg/day (Con)
Dermal	DNEL	213 mg/day (Con)
Inhalative	DNEL	50 mg/m ³ (Con) 168 mg/m ³ (Ind)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	DNEL	1.25 mg/day (Con)
Dermal	DNEL	10 mg/day (Con) 20 mg/day (Ind)
Inhalative	DNEL	34 mg/m ³ (Con) 67.5 mg/m ³ (Ind)

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

- **Respiratory protection:** Particulate cartridge filter type when LEV cannot be supplied

- **Protection of hands:** Not required.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

• General Information	
• Appearance: Form: Colour: - Odour: - Odour threshold:	Liquid According to product specification Characteristic Not determined
• pH-value:	Not determined
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined 100 °C
• Flash point: >100 °C	>100 °C
• Flammability (solid, gas):	Not applicable
• Ignition temperature:	>370 °C
• Decomposition temperature:	Not determined
• Auto-ignition temperature:	Product is not selfigniting
• Explosive properties:	Product does not present an explosion hazard
• Explosion limits: Lower: Upper:	2.6 Vol % 12.6 Vol %
• Vapour pressure at 20 °C:	23 hPa
• Density at 20 °C:	1.156 g/cm ³
• Relative density	Not determined
• Vapour density	Not determined
• Evaporation rate	Not determined
• Solubility in/Miscibility with water:	Fully miscible
• Partition coefficient: n-octanol/water:	Not determined
• Viscosity: Dynamic at 20 °C: Kinematic:	10000 mPas Not determined
• Solvent content: Organic solvents: Water:	14.4 % 40.4 %
Solids content:	44.5 %

9.2 Other information: No further relevant information available

SECTION 10: Stability and reactivity

- **10.1 Reactivity:** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition/conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products when stored and handled correctly

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

57-55-6 propane-1,2-diol

Oral	LD50	>20000 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rat)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	>20000 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 - Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects:** No further relevant information available

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents

SECTION 14: Transport information

• 14.1 UN-Number

• ADR, IMDG, IATA	Void
-------------------	------

• 14.2 UN proper shipping name

• ADR, IMDG, IATA	Void
-------------------	------

• 14.3 Transport hazard class(es)

<ul style="list-style-type: none"> • ADR, IMDG, IATA • Class 	Void
--	------

• 14.4 Packing group

• ADR, IMDG, IATA	Void
-------------------	------

- **14.5 Environmental hazards:** Not applicable
- **14.6 Special precautions for user:** Not applicable
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:** Not applicable
- **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- National regulations:
- Technical instructions (air):

Class	Share in %
Wasser	40.4
NK	14.4

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H319 Causes serious eye irritation.

- **Department issuing SDS:** Product safety department: LABORATORY

- **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

The information in this document was correct at the time of going to print, due to our culture of continuous improvement we reserve the right to change the information at any time without prior notice should further tests reveal different results.